

1202031

## EPA Region 9 Laboratory

**Client:** US EPA Region 3, Eastern Response Branch  
**Project:** Dimock Residential Groundwater

**Project Number:** R33911

**Report To:**

US EPA Region 3, Eastern Response Branch  
 Richard Fetzer  
 100 Gypsum Road  
 Stroudsburg, PA 18360  
 Phone: (215) 341-6307  
 Fax: XX

**Project Contact**

US EPA Region 3, Eastern Response Branch  
 Richard Fetzer  
 100 Gypsum Road  
 Stroudsburg, PA 18360  
 Phone : (215) 341-6307  
 Fax: XX

<u><b>Shipping</b></u>		<u><b>Temp</b></u>		<u><b>Custody</b></u>	<u><b>Containers</b></u>	<u><b>Labels</b></u>	<u><b>Preservation</b></u>	<u><b>Received</b></u>	<u><b>Comments</b></u>
<u><b>Containers</b></u>	<u><b>Description</b></u>	<u><b>C</b></u>	<u><b>Seals?</b></u>	<u><b>Seals?</b></u>	<u><b>Intact?</b></u>	<u><b>COC</b></u>	<u><b>Confirmed?</b></u>	<u><b>on Ice?</b></u>	
1Cooler	Cooler	3	Yes	Yes	Yes	Yes	No	Yes	793209660251
2Cooler	Cooler	2	Yes	Yes	Yes	Yes	No	Yes	793209615340
3Cooler	Cooler	2	Yes	Yes	Yes	Yes	No	Yes	793211921642
4Cooler	Cooler	2	Yes	Yes	Yes	Yes	No	Yes	793211912865

Date Due: 03/03/12 15:00 (21 day TAT)

Received By: Richard Bauer

Logged In By: Garrett Peterson

SDG: 12041B

Date Received: 02/10/12 09:40

Date Logged In: 02/10/12 10:34

<u><b>Analysis</b></u>	<u><b>Hold Time</b></u> <u><b>Expires</b></u>	<u><b>Comments</b></u>
------------------------	--	------------------------

**1202031-01 HW48 [Water] Sampled 02/08/12 16:06 Pacific**

TPH - Extractable	02/15/12	
TPH - Purgeable	02/22/12	
Dissolved HC Gases	02/22/12	5 day prelim results

**1202031-02 HW48z [Water] Sampled 02/08/12 16:06 Pacific**

TPH - Purgeable	02/22/12	
TPH - Extractable	02/15/12	
Dissolved HC Gases	02/22/12	5 day prelim results

**1202031-03 TB31 [Water] Sampled 02/08/12 07:45 Pacific**

TPH - Purgeable	02/22/12	
Dissolved HC Gases	02/22/12	5 day prelim results

**1202031-04 HW23 [Water] Sampled 02/08/12 15:42 Pacific**

TPH - Extractable	02/15/12	
TPH - Purgeable	02/22/12	
Dissolved HC Gases	02/22/12	5 day prelim results

1202031

## EPA Region 9 Laboratory

**Client:** US EPA Region 3, Eastern Response Branch  
**Project:** Dimock Residential Groundwater

**Project Number:** R33911

Analysis	Hold Time Expires	Comments
<b>1202031-05 HW23-P [Water] Sampled 02/08/12 15:39 Pacific</b>		
TPH - Purgeable	02/22/12	
TPH - Extractable	02/15/12	
Dissolved HC Gases	02/22/12	5 day prelim results
<b>1202031-06 TB32 [Water] Sampled 02/08/12 07:55 Pacific</b>		
TPH - Purgeable	02/22/12	
Dissolved HC Gases	02/22/12	5 day prelim results
<b>1202031-07 HW21 [Water] Sampled 02/09/12 10:53 Pacific</b>		
Dissolved HC Gases	02/23/12	5 day prelim results
TPH - Purgeable	02/23/12	
TPH - Extractable	02/16/12	
<b>1202031-08 HW21z [Water] Sampled 02/09/12 10:53 Pacific</b>		
Dissolved HC Gases	02/23/12	5 day prelim results
TPH - Extractable	02/16/12	
TPH - Purgeable	02/23/12	
<b>1202031-09 TB33 [Water] Sampled 02/09/12 07:30 Pacific</b>		
Dissolved HC Gases	02/23/12	5 day prelim results
TPH - Purgeable	02/23/12	
<b>1202031-10 HW22 [Water] Sampled 02/09/12 10:42 Pacific</b>		
TPH - Purgeable	02/23/12	
TPH - Extractable	02/16/12	
Dissolved HC Gases	02/23/12	5 day prelim results
<b>1202031-11 HW22-P [Water] Sampled 02/09/12 10:50 Pacific</b>		
TPH - Extractable	02/16/12	
Dissolved HC Gases	02/23/12	5 day prelim results
TPH - Purgeable	02/23/12	
<b>1202031-12 TB34 [Water] Sampled 02/09/12 07:35 Pacific</b>		
TPH - Purgeable	02/23/12	
Dissolved HC Gases	02/23/12	5 day prelim results